














Page2of8










Page3of8





LAYOUT

1 Bathroom

1 Engine room

1 Technical room

1 Bow Garage

GENERAL CHARACTERISTICS

Length overall 15,2 mt

Length waterline 13,2 mt

Beam max (Fenders include) 4,00 mt

Draft 0,8 mt

Displacement 10,5 Tons*

Navigation category CE 94/25 B

N° passenger (crew included) 12

Fuel tank 2 x 570 lt

Max. speed 46 kn

Water thank 400 It

ENGINE

Jollydrive Surface Propellers 2x FPT C90-650hp



EXTERIORS - DECK EQUIPMENT

Maori custom Hard top	4 x JL audio Stereo Speaker M770
	Black Box Fusion Stereo
Trefoil stainless still AISI 316 15 Kg. with custom anchor harm	Deck lights QUICK MARINE LIGHTING (Tina Led 0,4W)
Stainless steel chain D.8, 50 m.	Cockpit flooring in high quality teak COMILEGNO
Lewmar V4 1600w 8mm 24V electric windlass/barbotin with waterproof deck control.	Manual fore awning with Sunbrella fabric cover
DuPont Marine metallic Paint	Jolly Drive Hydraulic ram for Garage (2)
Antifouling Veneziani	Jolly Drive Hydraulic ram for engine room (1)
Fender Hippomarine	Manual fore awning with Sunbrella fabric cover
Versari&DelMonte0264-ANA no dised a luminium hidden mooring cleat for e(2), aft (2), middle (2) and the following clean for each of the contraction of the contract	Protections tops in stainless steel (4)
Custom handrail amidships	Ventilation plate for engine room with boat name in stainless steel
Frontal windscreen in temperated and laminated transparent crystal	Steering wheel Isotta
4 x Poliform fender	Sunbed and cushions in FMG fabric
Lewmar port hole (2)	Extractable stern shower Clea Design
Powder extinguishers certified (1kg) one for each area	

Pin-Craft hydraulic custom swim ladder

Manual folding table with cushions



NAVIGATION AND ELECTRIC SYSTEM

Garmin Depth-sounder B164 1 Kw	Whisper Power Lithium service batteries 24 VDC 640 Ah - 17 kWh
Icom Black Box VHS M400BB	Whisper Power batteries charger DC Power cube 24V - 150 A
Garmin GPS Display Multif. GPSMAP 7616 - 16 inch	Whisper Power Inverter AC Power cube 24V - 7000 W
Garmin AIS600 BB Black Box	Maori custom electrical control panel
Radome Radar Garmin GMR 24xHD 4 Kw	Quickmarine lighting
Garmin Autopilot GHP 20 + GHC 20 AP	Engine room lighting
Thermal camera FLIR FLIR MD 625	Technical room lighting
Isotemp Boiler 230v 16lt	Garage lighting
Vitrifrigo fridge mod. DW 70 RFX 75 lt. 24V	Navigation lights
24 V engine start batteries	Anchor light
Marinco Shore Power 32 A	Horn

ENGI	NES	PROPU	NOIS I

Engine instruments	Automatic Engine Room Fire Extinguishing System, FM 200
Engine management computer	Dynamic air intakes (2) on the transom
External coupling bar	Engine room ventilation
Jollydrive Marine transmission with surface propellers	Technical room ventilation
Thermo-acoustic insulation	Technical room smoke alarm sensor
Electric Bow Thruster Lewmar 5kw	



HYI	DRAL	FOU	IPMENT	Γ

Structural GRP Fresh water tank, capacity 400 liters, with level on PLC Monitor	Fitting and filters in chrome plater brass
Flowjet fresh water pump system	Glass Design bathroom Sink
Fuel tank, capacity 2x570 liters, manual shutoff valves on cockpit and Level	CEA Design faucet and shower
Fuel level Sangiorgio Sein ILC10616/20	Galley with Inox sink and Foresti e Suardi foldable faucet
Fuel sensore Sangiorgio Sein TMA40428/1	Grey Water disposal system
Fuel filters for engines Parker Racor	WC Tecma 24V
Versari & Del Monte 0703-AN-D fuel tank filling (2)	Sewage disposal system
Versari & Del Monte 0705-AN-W water inlet (1)	Deck water drainage system
2 x stainless steel outboard vents / overfill fuel tank	Rule 2000 automatic bilge pump (2)
Stainless steel outboard vents / overfill water tank	Rule 500 automatic bilge pump (1)
Stainless steel outboard vents / overfill black water tank with odor remover filter	Manual bilge pump.
Fuel tank closing emergency with control from the cockpit	Double bilge sensor for monitoring bilge compartment
Air Conditionig Condaria	Sea intake brass with ball valve