FERRETTI 881 RPH M/Y PORTHOS






BOW VIEW




THE SUNDECK BOW AREA



STERN VIEW




THE EXCLUSIVE AND COMFORTABLE DINING AREA



THE FLYBRIDGE WITH EXTRA LARGE SUNDECK




THE FLYBRIDGE WITH THE LARGE TABLE FOR 12



THE FLYBRIDGE CONTROL PANEL



THE LIGHT AND AIRY SALOON WITH THE TWO FACING DIVANS




THE BEAUTIFUL DINING AREA



THE ORIGINAL GALLEY FACES THE BOW THROUGH THE FRONT WINDSCREEN



THE MAIN CONTROL PANEL




THE LARGE AND LUXURIOUS OWNER'S CABIN



THE VIP CABIN



A TWIN CABIN



A TWIN CABIN PLUS THE PULLMAN BED



THE CREW



THE SYSTEM WHICH PERMITS TO CONVERT THE ELECTRO-HYDRAULIC PIVOTING
GARAGE DOOR TO TEACK-LAID "BEACH PLATFORM",
AN OVER SEA AREA FOR THE BEST STAY IN DIRECT CONTACT WITH THE SEA.



TECHNICAL SPECIFICATIONS

LAYOUT



PRINCIPAL DIMEI	NSIONS
PRINITEAL INVE	751117 5

LENGTH OVERALL	27,07 M
FULL LENGTH	26,94 M
BEAM	6,72 M
DRAFT	2,18 M
DISPLACEMENT APPROX.	106,81 T
FUEL CAPACITY	9000 L
WATER CAPACITY (INCL. CALORIFIER)	1320 L

ENGINES AND GENERATORS

MAIN ENGINES	2 MTU 16V 2000 M84 2218 CV
GENERATORS	2 DNAN 25 KW
STABILIZERS	MITSUBISHI ANTI-ROLLING GYRO STABILIZER SYSTEM
WATERMARKER	IDROMAR 250 LT/HOUR

OTHER SPECIFICATIONS

MAXIMUM SPEED	29 KNOTS
CRUISING SPEED	22 KNOTS
HOURLY CONSUMPTION	500/800 LT/HOUR
RANGE	350 MILES
ACCOMODATIONS	4 CABINS - 10 BEDS
BED CONFIGURATION	1 QUEEN, 1DOUBLE, 4 SINGLE, 2 PULLMAN
BATHROOMS	5
CREW CABINS	2 CABINS, 2 BATHS